










## Multifunction Products

					
<b>CX431adw</b> Up to 26/24 ppm 2.8-inch/7.2 cm touch screen Duplex ADF	<b>CX532adwe</b> Up to 35/33 ppm 4.3-inch/10.9 cm touch screen Duplex ADF	<b>CX635adwe</b> Up to 42/40 ppm 7-inch/17.8 cm touch screen Duplex ADF	<b>CX730de</b> Up to 42/40 ppm 7-inch/17.8 cm touch screen Duplex ADF	<b>CX735adse</b> Up to 52/50 ppm 10-inch/25 cm touch screen Duplex ADF	<b>CX833se</b> Up to 55 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options
					
<b>CX950se</b> Up to 25 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options	<b>CX951se</b> Up to 35 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options	<b>CX961se</b> Up to 35 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options	<b>CX962se</b> Up to 45 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options	<b>CX963se</b> Up to 55 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options	<b>CX944adtse</b> Up to 65 ppm 10-inch class/25 cm touch screen Duplex ADF Finishing options

## Printers

					
<b>CS431dw</b> Up to 26/24 ppm 2.8-inch/7.2 cm touch screen	<b>CS531dw</b> Up to 35/33 ppm 2.8-inch/7.2 cm touch screen	<b>CS632dwe</b> Up to 42/40 ppm 4.3-inch/10.9 cm touch screen	<b>CS730de</b> Up to 42/40 ppm 4.3-inch/10.9 cm touch screen	<b>CS735de</b> Up to 52/50 ppm 4.3-inch/10.9 cm touch screen	<b>CS963de</b> Up to 55 ppm 4/3-inch/10.9 cm touch screen Finishing options

-  Color
-  Solutions-Enabled
-  Wi-Fi standard
- ppm = Pages per minute (letter/A4)
- ADF = Automatic Document Feeder

a=analog fax  
 d=duplex  
 t=additional tray included  
 e=embedded solutions framework  
 s=Intelligent Storage Drive (ISD)  
 w=Wi-Fi

## MFPs

	Argentina	Brazil	Chile- Uruguay	Peru-Bol- Par	Mexico	Rest of Latin America, Caribbean
Model	P/N	P/N	P/N	P/N	P/N	P/N
CX431adw	40N9375	40N9370	40N9377	40N9378	40N9370	40N9370
CX532adwe	50M7031	50M7033	50M7034	50M7032	50M7035	50M7040
CX635adwe	50M7071	50M7073	50M7074	50M7072	50M7075	50M7080
CX730de	-	-	-	-	-	47C9500
CX735adse	47C9601	47C9603	47C9604	47C9602	47C9625	47C9600
CX833se	20L8401	-	20L8404	20L8402	20L8405	20L8400
CX950se	20L8101	20L8103	20L8104	20L8102	20L8105	20L8100
CX951se	20L8151	20L8153	20L8154	20L8152	20L8155	20L8150
CX961se	-	20L8203	-	-	-	-
CX962se	-	20L8253	-	-	20L8255	20L8250
CX963se	20L8301	20L8303	20L8304	20L8302	20L8305	-
CX944adtse	32D0451	32D0450	32D0454	32D0353	32D0455	32D0450

## MFPs

CX431					
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)	
6700		20N4XC0	20N4XM0	20N4XY0	
6000	20N4XK0				
1500	20N40K0	20N40C0	20N40M0	20N40Y0	
7000		20N0X20	20N0X30	20N0X40	
6000	20N0X10				
1500	✓	✓	✓	✓	
15000		20NOW00			
CX532					
15800	75M4HK0				
8800		75M4HC0	75M4HM0	75M4HY0	
3000	75M40K0				
2000		75M40C0	75M40M0	75M40Y0	
15800	7530H10				
8800		7530H20	7530H30	7530H40	
3000	✓				
2000		✓	✓	✓	
150000	75M0ZK0				
150000		75M0ZV0			
150000	75M0Z10				
150000		75M0Z50			
30000		75M0W00			

## MFPs (cont.)

CX635					
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)	
20000	75M4XK0				
11700		75M4XC0	75M4XM0	75M4XY0	
3000	75M40K0				
2000		75M40C0	75M40M0	75M40Y0	
20000	7530X10				
11700		7530X20	7530X30	7530X40	
3000	✓				
2000		✓	✓	✓	
150000	75M0ZK0				
150000		75M0ZV0			
150000	75M0Z10				
150000		75M0Z50			
30000		75M0W00			
CX730					
22000	71C8HK0				
10500		71C8HC0	71C8HM0	71C8HY0	
5000	71C80K0	71C80C0	71C80M0	71C80Y0	
22000	71C0H10				
10500		71C0H20	71C0H30	71C0H40	
5000	✓	✓	✓	✓	
150000	71C0Z10		71C0Z50		
170000		71C0W00			
CX735					
28000	81C8XK0				
16200		81C8XC0	81C8XM0	81C8XY0	
5000	71C80K0	71C80C0	71C80M0	71C80Y0	
28000	81C0X10				
16200		81C0X20	81C0X30	81C0X40	
5000	✓	✓	✓	✓	
150000	71C0Z10		71C0Z50		
170000		71C0W00			
CX833, CX950, CX951					
35000	79L4HK0				
30000		79L4HC0	79L4HM0	79L4HY0	
15000	77L40K0				
12000		77L40C0	77L40M0	77L40Y0	
35000	79L0H10				
30000		79L0H20	79L0H30	79L0H40	
5000	✓	✓	✓	✓	
250000		77L0ZV0			
225000	77L0ZK0				
25000		77L0ZV0			
225000	77L0Z10				
120000		77L0W00			

## MFPs (cont.)

CX961, CX962, CX963					
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)	
35000	77L4HK0				
30000		77L4HC0	77L4HM0	77L4HY0	
15000	77L40K0				
12000		77L40C0	77L40M0	77L40Y0	
35000	77L0H10				
30000		77L0H20	77L0H30	77L0H40	
15000	✓				
12000		✓	✓	✓	
250000		77L0ZV0			
225000	77L0ZK0				
25000		77L0Z50			
225000	77L0Z10				
120000		77L0W00			
CX944					
45000	83D0HK0				
22000		83D0HC0	83D0HM0	83D0HY0	
18500	✓				
11500		✓	✓	✓	
165000	73D0P00		73D0Q00		
35000		73D0W00			

- Return Program Cartridge<sup>1</sup>
  - Regular Toner Cartridge<sup>1</sup>
  - Cartridge(s) Shipping with Product
  - Return Program Imaging Kit (Single or Multipack)<sup>2</sup>
  - Regular Imaging Kit (Single or Multipack)<sup>2</sup>
  - Photoconductor (Single or Multipack)<sup>2</sup>
  - Return Developer<sup>2</sup>
  - Waste Toner Container<sup>3</sup>
- MFP = Multifunction Product
- Regular cartridges are available for hardware models which offer Return Program cartridges.

<sup>1</sup> Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

<sup>2</sup> Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

<sup>3</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

## Printers

	Argentina	Brazil	Chile-Uruguay	Peru-Bol-Par	Mexico	Rest of Latin America, Caribbean
Model	P/N	P/N	P/N	P/N	P/N	P/N
CS431dw	40N9325	40N9320	40N9327	40N9328	40N9320	40N9320
CS531dw	50M0011	50M0013	50M0014	50M0012	50M0015	50M0020
CS632dwe	50M0051	50M0053	50M0054	50M0052	50M0055	50M0060
CS730de	47C9001	-	47C9004	47C9002	47C9025	47C9000
CS735de	-	47C9103	-	-	-	47C9100
CS963e	-	20L8050	-	-	-	-

## Printers

CS431					
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)	
6700		20N4XCO	20N4XMO	20N4XYO	
6000	20N4XKO				
1500	20N40KO	20N40CO	20N40MO	20N40YO	
7000		20N0X2O	20N0X3O	20N0X4O	
6000	20N0X1O				
1500	✓	✓	✓	✓	
15000	20N0W00				
CS531					
15800	75M4HKO				
8800		75M4HCO	75M4HMO	75M4HYO	
3000	75M40KO				
2000		75M40CO	75M40MO	75M40YO	
15800	7530H1O				
8800		7530H2O	7530H3O	7530H4O	
3000	✓				
2000		✓	✓	✓	
150000	75M0ZKO				
150000	75M0ZVO				
150000	75M0Z1O				
150000	75M0Z5O				
30000	75M0W00				
CS632					
20000	75M4XKO				
11700		75M4XCO	75M4XMO	75M4XYO	
3000	75M40KO				
2000		75M40CO	75M40MO	75M40YO	
20000	7530X1O				
11700		7530X2O	7530X3O	7530X4O	
3000	✓				
2000		✓	✓	✓	
150000	75M0ZKO				
150000	75M0ZVO				
150000	75M0Z1O				
150000	75M0Z5O				
30000	75M0W00				

## Printers (cont.)

CS730					
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)	
22000	71C8HKO				
10500		71C8HCO	71C8HMO	71C8HYO	
5000	71C80KO	71C80CO	71C80MO	71C80YO	
22000	71C0H1O				
10500		71C0H2O	71C0H3O	71C0H4O	
5000	✓	✓	✓	✓	
150000	71C0Z1O		71C0Z5O		
170000	71C0W00				
CS735					
22000	71C8HKO				
12500		71C8XCO	71C8XMO	71C8XYO	
5000	71C80KO	71C80CO	71C80MO	71C80YO	
22000	71C0H1O				
12500		71C0X2O	71C0X3O	71C0X4O	
5000	✓	✓	✓	✓	
150000	71C0Z1O		71C0Z5O		
170000	71C0W00				
CS963					
35000	77L4HKO				
30000		77L4HCO	77L4HMO	77L4HYO	
15000	77L40KO				
12000		77L40CO	77L40MO	77L40YO	
35000	77L0H1O				
30000		77L0H2O	77L0H3O	77L0H4O	
15000	✓				
12000		✓	✓	✓	
250000			77L0ZVO		
225000	77L0ZKO				
25000			77L0Z5O		
225000	77L0Z1O				
120000	77L0W00				

<sup>1</sup> Average continuous black or continuous composite color (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

<sup>2</sup> Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

<sup>3</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

	Return Program Cartridge <sup>1</sup>
	Regular Toner Cartridge <sup>1</sup>
	Cartridge(s) Shipping with Product
	Return Program Imaging Kit (Single or Multipack) <sup>2</sup>
	Regular Imaging Kit (Single or Multipack) <sup>2</sup>
	Photoconductor (Single or Multipack) <sup>2</sup>
	Return Developer <sup>2</sup>
	Waste Toner Container <sup>3</sup>
	MFP = Multifunction Product
	Regular cartridges are available for hardware models which offer Return Program cartridges.

## Multifunction Products

<b>MX331adn</b> Up to 40/38 ppm 2.8-inch/7.2 cm touch screen Simplex ADF	<b>MX431adn</b> Up to 42/40 ppm 2.8-inch/7.2 cm touch screen Duplex ADF	<b>MX432adwe</b> Up to 42 ppm 4.3-inch touch screen Duplex ADF	<b>MX532adwe</b> Up to 46/44 ppm 4.3-inch/10.9 cm touch screen Duplex ADF	<b>MX632adwe</b> Up to 50/47 ppm 7-inch/17.8 cm touch screen Duplex ADF	<b>MX722adhe</b> Up to 70/66 ppm 7-inch class/17.8 cm touch screen Duplex ADF OCR standard
		<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 20px;"> <p> Monochrome</p> <p> Solutions-enabled</p> <p> Wi-Fi standard</p> <p>ppm = Pages per minute (letter/A4)</p> <p>ADF = Automatic Document Feeder</p> </div> <div> <p>a=analog fax            d=duplex            n=network            e=embedded solutions framework*            h=hard disk            s=Intelligent Storage Drive (ISD)</p> </div> </div>			
<b>MX822ade, MX826ade</b> Up to 55/52, 70/66 ppm 10-inch class/25 cm touch screen Duplex ADF Standard OCR Finishing options	<b>MX953se</b> Up to 55 ppm 10-inch/25 cm touch screen Duplex ADF Finishing options				

## Printers

<b>MS331dn</b> Up to 40/38 ppm 2-line display	<b>MS431dn</b> Up to 42/40 ppm 2-line display	<b>MS531dw</b> Up to 42/40 ppm 2.8-inch/7.2 cm touch screen	<b>MS632dwe</b> Up to 50/47 ppm 4.3-inch/10.9 cm touch screen	<b>MS821dn, MS823dn</b> Up to 55/52, 65/61 ppm 2.4-inch/6 cm display Finishing options	<b>MS826de</b> Up to 70/66 ppm 4.3-inch/10.9 cm touch screen Finishing options

24KDO12774

## MFPs

	Argentina	Brazil	Chile-Uruguay	Peru-Bol-Par	Mexico	Rest of Latin America, Caribbean
Model	P/N	P/N	P/N	P/N	P/N	P/N
MX331adn	29S0151	29S0153	29S0154	29S0152	29S0150	29S0150
MX431adn	29S0201	29S0203	29S0204	29S0202	29S0200	29S0200
MX432adwe	29S8101	29S8103	29S8104	29S8102	29S8105	29S8100
MX532adwe	38S0821	38S0823	38S0824	38S0822	38S0825	38S0820
MX632adwe	38S0901	38S0903	38S0904	38S0902	38S0905	38S0900
MX722adhe	25B0009	25B0015	25B0027	25B0021	25B0001	25B0001
MX822ade	25B0618	25B0636	25B0672	25B0654	25B2000	25B2000
MX826ade	25B0628	25B0646	25B0682	25B0664	25B0610	25B0610
MX953se	-	20L8350	-	-	20L8355	20L8350

## Printers

	Argentina	Brazil	Chile-Uruguay	Peru-Bol-Par	Mexico	Rest of Latin America, Caribbean
Model	P/N	P/N	P/N	P/N	P/N	P/N
MS331dn	29S0001	29S0003	29S0004	29S0002	29S0000	29S0000
MS431dn	29S0051	29S0053	29S0054	29S0052	29S0050	29S0050
MS531dw	38S0301	38S0303	38S0304	38S0302	38S0305	38S0300
MS632dwe	38S0501	38S0503	38S0504	38S0502	38S0505	38S0500
MS622de	36S0501	36S0503	36S0504	36S0502	36S0500	36S0500
MS821dn	50G0105	50G0103	50G0107	50G0106	50G0100	50G0100
MS823dn	50G0205	50G0203	50G0207	50G0206	50G0200	50G0200
MS826de	50G0315	50G0313	50G0317	50G0316	50G0310	50G0310

<sup>1</sup> Average continuous mono declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19752. Actual yield will vary considerably based upon many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information. In demonstration of circular economy principles, genuine Lexmark supplies with Unison™ Toner may contain components recovered from the Lexmark Cartridge Collection Program (LCCP).

<sup>2</sup> Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. For CX83x, CX95x, CS/CX96x, and MX95x models, estimated yields are based on 5 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

<sup>3</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and job run length.

## MFPs

MX331			
	Page Yield		P/N (K)
	15000		55B4H00
	3000		55B4000
	15000		55B4HA0
	1500		✓
	40000		55B0ZA0
MX431, MX432adwe			
	20000		55B4X00
	15000		55B4H00
	3000		55B4000
	20000		55B0XA0
	3000		✓
	40000		55B0ZA0
MX532			
	28400		66S4H00
	5000		66S4000
	28400		66S0HA0
	5000		✓
	75000		66S0Z00
	75000		66S0ZA0
MX632			
	31000		66S4X00
	5000		66S4000
	31000		66S0HA0
	5000		✓
	75000		66S0Z00
	75000		66S0ZA0
MX722, MX822, MX826			
	55000		58D4U00
	35000		58D4X00
	15000		58D4H00
	7500		58D4000
	55000		58D0UA0
	11000		✓
	150000		58D0Z00
MX953			
	35000		77L4HK0
	15000		77L40K0
	35000		77L0H10
	5000		✓
	225000		77L0ZK0
	225000		77L0Z10
	250000		79L0W00

## Printers

MS331			
	Page Yield		P/N (K)
	15000		55B4H00
	3000		55B4000
	15000		55B0HA0
	1500		✓
	40000		55B0ZA0

## Printers (cont.)

MS431			
	Page Yield		P/N (K)
	20000		55B4X00
	15000		55B4H00
	3000		55B4000
	20000		55B0XA0
	3000		✓
	40000		55B0ZA0
MS531			
	28400		56F4U00
	5000		56F4X00
	28400		56F4H00
	5000		✓
	75000		56F4000
	75000		66S0ZA0
MS632			
	31000		66S4X00
	5000		66S4000
	31000		66S0HA0
	5000		✓
	75000		66S0Z00
	75000		66S0ZA0
MS821			
	15000		58D4H00
	7500		58D4000
	15000		58D0HA0
	11000		✓
	150000		58D0Z00
MS823, MS826			
	55000		58D4U00
	35000		58D4X00
	15000		58D4H00
	7500		58D4000
	55000		58D0UA0
	11000		✓
	150000		58D0Z00

	Return Program Cartridge <sup>1</sup>
	Regular Toner Cartridge <sup>1</sup>
	Cartridge Shipping with Product
	Return Program Imaging Unit
	Regular Imaging Unit
	Photoconductor <sup>2</sup>
	Waste Toner Container <sup>3</sup>
MFP = Multifunction Product	
Regular cartridges are available for hardware models which offer Return Program cartridges.	